



Contents lists available at ScienceDirect

Journal of Immunological Methods

journal homepage: www.elsevier.com/locate/jim



Erratum

Erratum to Dynamic quantification of antigen molecules with flow cytometry [Journal of Immunological Methods, Volume 418, March 2015, Pages 66–74]

A.E. Moskalensky^{a,b}, A.V. Chernyshev^{a,b}, M.A. Yurkin^{a,b}, V.M. Nekrasov^{a,b}, A.A. Polshchitsin^{a,b,c}, D.R. Parks^d,
W.A. Moore^d, A. Filatenkov^e, V.P. Maltsev^{a,b,f}, D.Y. Orlova^{a,d,*}

^a Institute of Chemical Kinetics and Combustion, 3 Institutskaya, 630090 Novosibirsk, Russia

^b Novosibirsk State University, 2 Pirogova, 630090 Novosibirsk, Russia

^c JSC "Vector-Best" 630559 Koltsovo, Russia

^d Department of Genetics, Stanford University School of Medicine, 279 Campus Drive, 94305 Stanford, CA, USA

^e Division of Immunology and Rheumatology, Stanford University School of Medicine, 269 Campus Drive, 94305 Stanford, CA, USA

^f Novosibirsk State Medical University, 52 Krasny Prospect, 630091 Novosibirsk, Russia

The publisher regrets that the printed version of the above article contained a number of errors. The correct and final version follows. The publisher would like to apologise for any inconvenience caused.

DOI of original article: <http://dx.doi.org/10.1016/j.jim.2015.02.001>.

DOI of corrected article: <http://dx.doi.org/10.1016/j.jim.2015.11.002>.

* Corresponding author at: Department of Genetics, Stanford University School of Medicine, 279 Campus Drive, 94305 Stanford, CA, USA.
E-mail address: orlova@stanford.edu (D.Y. Orlova).

<http://dx.doi.org/10.1016/j.jim.2015.11.001>

0022-1759/© 2015 Elsevier B.V. All rights reserved.